2003 AUTHOR & TITLE INDEX

AUTHOR INDEX

Aggarwal, A.K., Development and Investigation of a Fiber Optic Technique for Online Monitoring of the Quality of the Polish of Rice, p. 49, Nov/Dec.

Aubry, E., Experimental Modal Shapes Identification of a Rotating Asymmetric Disc Subjected to Multiple-frequency Excitations: Use of FIR Filters, p. 44, Nov/Dec.

Avitabile, P., Modal Space: Is if Better to Collect Averaged FRF Data for a Modal Test?, p. 15, Jan/Feb.

Avitabile, P., Modal Space: Why are Calibration and Mode Shape Scaling Important?, p. 15, Mar/Apr.

Avitabile, P., Modal Space: Is it Really Necessary to Reject a Double Impact?, p. 17, May/Jun.

Avitabile, P., Modal Space: Must You Have Multiple References in Order to Find Pseudo Repeated Roots?, p. 11, Jul/Aug.

Avitabile, P., Modal Space: I Ran a Modal Test on a Portion of a Structure of Concern and Many Modes Look the Same! What Did I Do Wrong?, p. 13, Sep/Oct.

Avitabile, P., Modal Space: Why Do Some Measurements Have Antiresonances and Others Do Not?, p. 25, Nov/Dec.

Avitabile, P., Status of Experimental Mechanics: Modal Analysis/Dynamic Systems, p. 32, Nov/Dec.

Bajpai, R.P., Development and Investigation of a Fiber Optic Technique for Online Monitoring of the Quality of the Polish of Rice, p. 49, Nov/Dec.

Bas, H., A New Test Apparatus for the Tribological Behavior of CAM Mechanisms, p. 28, Sep/Oct.

Berger, S., Experimental Modal Shape Identification of a Rotating Asymmetric Disc Subjected to Multiple-frequency Excitation: Use of FIR Filters, p. 44, Nov/Dec.

Bermudez, V., New Technique for Determination of Internal Geometry of A Diesel Nozzle with the Use of the Silicone Methodology, p. 39, Mar/Apr.

Biyiklioglu, A., A New Test Apparatus for the Tribological Behavior of CAM Mechanisms, p. 28, Sep/Oct.

Cárdenas-García, J.F., Status of Experimental Mechanics: Optical Methods, p. 19, Sep/Oct.

Chao, Y.C., Gold Wire and Solder Joint Microforce Testing Using Microforce Tester, p. 37, Sep/Oct.

Clayton, H., Measurement of Rein Tension During Horseback Riding Using Strain Gage Transducers, p. 34, May/Jun.

Cloud, G., Optical Methods: A Classic Interferometry - Newton's Rings, p. 17, Jan/Feb.

Cloud, G., Optical Methods: Another Classic Interferometry - Young's Experiment, p. 19, Mar/Apr.

Cloud, G., Optical Methods: Colored Interferometry Fringes, p. 21, May/Jun.

Cloud, G., Measurement of Rein Tension During Horseback Riding Using Strain Gage Transducers, p. 34, May/Jun.

Cloud, G., Speckle Interferometry Made Simple and Cheap, p. 27, Jul/Aug.

Cloud, G., Optical Methods: Michelson Interferometry, p. 15, Sep/Oct.

Cloud, G., Optical Methods: The Diffraction Problem, p. 27, Nov/Dec.

Cuvalci, H., A New Test Apparatus for the Tribological Behavior of CAM Mechanisms, p. 28, Sep/Oct.

Evensen, H.A., Dynamic Response of Timber Bridges as a Tool to Measure Structural Integrity, p. 25, May/Jun.

Figueroa, F., Evaluation of White Light Fabry-Perot Interferometry Fiber-Optic Strain Gages for Small Strains, p. 33, Jul/Aug.

Freire, J.L.F., Status of Experimental Mechanics: Optical Methods, p. 19, Sep/Oct.

Galanulis, K., Dynamic Strain Measurement Using Advanced 3D Photogrammetry, p. 47, May/Jun.

Galanulis, K., Full-field Dynamic Displacement and Strain Measurement - Specific Examples Using Advanced 3D Image Correlation Photogrammetry: Part II, p. 22, Jul/Aug.

Garita, B., Biomimetic Designs from Bone, p. 36, Jan/Feb.

Gimeno, J., New Technique for Determination of Internal Geometry of A Diesel Nozzle with the Use of the Silicone Methodology, p. 39, Mar/Apr.

Go, C.G., A Design Concept with a Displacement Dependent Semi-active Hydraulic Damper for Energy Dissipation., p. 53, Nov/Dec.

Han, B., Measurement of the Hygroscopic Swelling Coefficient in Mold Compounds Using Moiré Interferometry, p. 40, Jul/Aug.

Huang, S.-J., The Experimental Analysis for Compression Deformation of Automotive Door Seals, p. 27, Jan/Feb.

Jain, S.C., Development and Investigation of a Fiber Optic Technique for Online Monitoring of the Quality of the Polish of Rice, p. 49, Nov/Dec.

Jain, S.C., Development and Investigation of a Fiber Optic Technique for Online Monitoring of the Quality of the Polish of Rice, p. 49, Nov/Dec.

Jenkins, C.H.M., The Centenary of Powered Flight: The Next 100 Years, p. 31, Nov/Dec.

Johnson, W.M., Transverse Plane Shear Test Fixture for Total Knee Systems, p. 37, May/Jun.

Kang, D.I, Development of a Binocular-type, Six-component Load Cell, p. 21, Jan/Feb.

Kantha Babu, M., Studies on Abrasive Waterjet Machining of Black Granite Through Design of Experiments, p. 49, Sep/Oct.

Kemerling, J.R., Wireless Technology: An Overview of the Technology and Its Applications, p. 57, Nov/Dec.

Kim, J.H., Development of a Binocular-type, Six-component Load Cell, p. 21, Jan/Feb.

Krishnaiah Chetty, O.V., Studies on Abrasive Waterjet Machining of Black Granite Through Design of Experiments, p. 49, Sep/Oct.

Lanovaz, J.L., Measurement of Rein Tension During Horseback Riding Using Strain Gage Transducers, p. 34, May/Jun.

Lanza di Scalea, F., Effect of Frequency on the Acoustoelastic Response of Steel Bars, p. 40, Nov/Dec.

Lassiter, J.O., Temperature Dependency of Impedance-based Nondestructive Testing, p. 33, Sep/Oct.

Leon, R.T., Instrumentation Planning and Validation for Full-scale Bridge Testing, p. 29, May/Jun.

Li, F., A New Noncontact Metal-ceramic Fluid Acoustic Emission Sensor, p. 27, Mar/Apr.

Li, Y.Q., Evaluation of Thermal-mechanical Fatigue Behavior for 62Sn-38Pb Bulk Solder, p. 31, Mar/Apr.

Ligon, J.B., Dynamic Response of Timber Bridges as a Tool to Measure Structural Integrity, p. 25, May/Jun.

Linzell, D., Instrumentation Planning and Validation for Full-scale Bridge Testing, p. 29, May/Jun.

Liu, D.S., Gold Wire and Solder Joint Microforce Testing Using Microforce Tester, p. 37, Sep/Oct.

Ma, S.F., Aircraft Airworthiness Certification: Static Bench Testing or an Airfoil Elevator, p. 32, Jan/Feb.

Macian, V., New Technique for Determination of Internal Geometry of A Diesel Nozzle with the Use of the Silicone Methodology, p. 39, Mar/Apr.

Maji, A.K., Interferometry with LabView, p. 41, Jan/Feb.

Marquet, F., Experimental Modal Shapes Identification of a Rotating Asymmetric Disc Subjected to Multiple-frequency Excitations: Use of FIR Filters, p. 44, Nov/Dec.

McVay, G., Evaluation of White Light Fabry-Perot Interferometry Fiber-Optic Strain Gages for Small Strains, p. 33, Jul/Aug.

Mitchell, M., Evaluation of White Light Fabry-Perot Interferometry Fiber-Optic Strain Gages for Small Strains, p. 33, Jul/Aug.

Montemerlo, P., Interferometry with LabView, p. 41, Jan/Feb.

Morison, A.M., Dynamic Response of Timber Bridges as a Tool to Measure Structural Integrity, p. 25, May/Jun.

Park, Y.K., Development of a Binocular-type, Six-component Load Cell, p. 21, Jan/Feb.

Payri, R., New Technique for Determination of Internal Geometry of A Diesel Nozzle with the Use of the Silicone Methodology, p. 39, Mar/Apr.

Peairs, D.M., Temperature Dependency of Impedance-based Nondestructive Testing, p. 33, Sep/Oct.

Pecht, M., Measurement of the Hygroscopic Swelling Coefficient in Mold Compounds Using Moiré Interferometry, p. 40, Jul/Aug.

Perry, K.E., Status of Experimental Mechanics: Biological and Biologically Inspired Materials, p. 13, Jul/Aug.

Peterson, M.L., Technique for Determining the Pressure Distribution on the Face of a Contact Ultrasonic Transducer, p. 37, Jul/Aug.

Poddar, G.C., Development and Investigation of a Fiber Optic Technique for Online Monitoring of the Quality of the Polish of Rice, p. 49, Nov/Dec.

Ponslet, E., Residual Stress Measurement Using the Hold Drilling Method and Laser Speckle Interferometry: Part I, p. 43, May/Jun.

Ponslet, E., Residual Stress Measurement Using the Hold Drilling Method and Laser Speckle Interferometry: Part II: Analysis Technique, p. 17, Jul/Aug.

Ponslet, E., Residual Stress Measurement Using the Hole Drilling Method and Laser Speckle Interferometry - Part III: Analysis Technique, p. 45, Sep/Oct.

Puckett, A.D., Technique for Determining the Pressure Distribution on the Face of a Contact Ultrasonic Transducer, p. 37, Jul/Aug.

Rapoff, A.J., Biomimetic Designs from Bone, p. 36, Jan/Feb.

2003 AUTHOR & TITLE INDEX

AUTHOR INDEX

Aggarwal, A.K., Development and Investigation of a Fiber Optic Technique for Online Monitoring of the Quality of the Polish of Rice, p. 49, Nov/Dec.

Aubry, E., Experimental Modal Shapes Identification of a Rotating Asymmetric Disc Subjected to Multiple-frequency Excitations: Use of FIR Filters, p. 44, Nov/Dec.

Avitabile, P., Modal Space: Is if Better to Collect Averaged FRF Data for a Modal Test?, p. 15, Jan/Feb.

Avitabile, P., Modal Space: Why are Calibration and Mode Shape Scaling Important?, p. 15, Mar/Apr.

Avitabile, P., Modal Space: Is it Really Necessary to Reject a Double Impact?, p. 17, May/Jun.

Avitabile, P., Modal Space: Must You Have Multiple References in Order to Find Pseudo Repeated Roots?, p. 11, Jul/Aug.

Avitabile, P., Modal Space: I Ran a Modal Test on a Portion of a Structure of Concern and Many Modes Look the Same! What Did I Do Wrong?, p. 13, Sep/Oct.

Avitabile, P., Modal Space: Why Do Some Measurements Have Antiresonances and Others Do Not?, p. 25, Nov/Dec.

Avitabile, P., Status of Experimental Mechanics: Modal Analysis/Dynamic Systems, p. 32, Nov/Dec.

Bajpai, R.P., Development and Investigation of a Fiber Optic Technique for Online Monitoring of the Quality of the Polish of Rice, p. 49, Nov/Dec.

Bas, H., A New Test Apparatus for the Tribological Behavior of CAM Mechanisms, p. 28, Sep/Oct.

Berger, S., Experimental Modal Shape Identification of a Rotating Asymmetric Disc Subjected to Multiple-frequency Excitation: Use of FIR Filters, p. 44, Nov/Dec.

Bermudez, V., New Technique for Determination of Internal Geometry of A Diesel Nozzle with the Use of the Silicone Methodology, p. 39, Mar/Apr.

Biyiklioglu, A., A New Test Apparatus for the Tribological Behavior of CAM Mechanisms, p. 28, Sep/Oct.

Cárdenas-García, J.F., Status of Experimental Mechanics: Optical Methods, p. 19, Sep/Oct.

Chao, Y.C., Gold Wire and Solder Joint Microforce Testing Using Microforce Tester, p. 37, Sep/Oct.

Clayton, H., Measurement of Rein Tension During Horseback Riding Using Strain Gage Transducers, p. 34, May/Jun.

Cloud, G., Optical Methods: A Classic Interferometry - Newton's Rings, p. 17, Jan/Feb.

Cloud, G., Optical Methods: Another Classic Interferometry - Young's Experiment, p. 19, Mar/Apr.

Cloud, G., Optical Methods: Colored Interferometry Fringes, p. 21, May/Jun.

Cloud, G., Measurement of Rein Tension During Horseback Riding Using Strain Gage Transducers, p. 34, May/Jun.

Cloud, G., Speckle Interferometry Made Simple and Cheap, p. 27, Jul/Aug.

Cloud, G., Optical Methods: Michelson Interferometry, p. 15, Sep/Oct.

Cloud, G., Optical Methods: The Diffraction Problem, p. 27, Nov/Dec.

Cuvalci, H., A New Test Apparatus for the Tribological Behavior of CAM Mechanisms, p. 28, Sep/Oct.

Evensen, H.A., Dynamic Response of Timber Bridges as a Tool to Measure Structural Integrity, p. 25, May/Jun.

Figueroa, F., Evaluation of White Light Fabry-Perot Interferometry Fiber-Optic Strain Gages for Small Strains, p. 33, Jul/Aug.

Freire, J.L.F., Status of Experimental Mechanics: Optical Methods, p. 19, Sep/Oct.

Galanulis, K., Dynamic Strain Measurement Using Advanced 3D Photogrammetry, p. 47, May/Jun.

Galanulis, K., Full-field Dynamic Displacement and Strain Measurement - Specific Examples Using Advanced 3D Image Correlation Photogrammetry: Part II, p. 22, Jul/Aug.

Garita, B., Biomimetic Designs from Bone, p. 36, Jan/Feb.

Gimeno, J., New Technique for Determination of Internal Geometry of A Diesel Nozzle with the Use of the Silicone Methodology, p. 39, Mar/Apr.

Go, C.G., A Design Concept with a Displacement Dependent Semi-active Hydraulic Damper for Energy Dissipation., p. 53, Nov/Dec.

Han, B., Measurement of the Hygroscopic Swelling Coefficient in Mold Compounds Using Moiré Interferometry, p. 40, Jul/Aug.

Huang, S.-J., The Experimental Analysis for Compression Deformation of Automotive Door Seals, p. 27, Jan/Feb.

Jain, S.C., Development and Investigation of a Fiber Optic Technique for Online Monitoring of the Quality of the Polish of Rice, p. 49, Nov/Dec.

Jain, S.C., Development and Investigation of a Fiber Optic Technique for Online Monitoring of the Quality of the Polish of Rice, p. 49, Nov/Dec.

Jenkins, C.H.M., The Centenary of Powered Flight: The Next 100 Years, p. 31, Nov/Dec.

Johnson, W.M., Transverse Plane Shear Test Fixture for Total Knee Systems, p. 37, May/Jun.

Kang, D.I, Development of a Binocular-type, Six-component Load Cell, p. 21, Jan/Feb.

Kantha Babu, M., Studies on Abrasive Waterjet Machining of Black Granite Through Design of Experiments, p. 49, Sep/Oct.

Kemerling, J.R., Wireless Technology: An Overview of the Technology and Its Applications, p. 57, Nov/Dec.

Kim, J.H., Development of a Binocular-type, Six-component Load Cell, p. 21, Jan/Feb.

Krishnaiah Chetty, O.V., Studies on Abrasive Waterjet Machining of Black Granite Through Design of Experiments, p. 49, Sep/Oct.

Lanovaz, J.L., Measurement of Rein Tension During Horseback Riding Using Strain Gage Transducers, p. 34, May/Jun.

Lanza di Scalea, F., Effect of Frequency on the Acoustoelastic Response of Steel Bars, p. 40, Nov/Dec.

Lassiter, J.O., Temperature Dependency of Impedance-based Nondestructive Testing, p. 33, Sep/Oct.

Leon, R.T., Instrumentation Planning and Validation for Full-scale Bridge Testing, p. 29, May/Jun.

Li, F., A New Noncontact Metal-ceramic Fluid Acoustic Emission Sensor, p. 27, Mar/Apr.

Li, Y.Q., Evaluation of Thermal-mechanical Fatigue Behavior for 62Sn-38Pb Bulk Solder, p. 31, Mar/Apr.

Ligon, J.B., Dynamic Response of Timber Bridges as a Tool to Measure Structural Integrity, p. 25, May/Jun.

Linzell, D., Instrumentation Planning and Validation for Full-scale Bridge Testing, p. 29, May/Jun.

Liu, D.S., Gold Wire and Solder Joint Microforce Testing Using Microforce Tester, p. 37, Sep/Oct.

Ma, S.F., Aircraft Airworthiness Certification: Static Bench Testing or an Airfoil Elevator, p. 32, Jan/Feb.

Macian, V., New Technique for Determination of Internal Geometry of A Diesel Nozzle with the Use of the Silicone Methodology, p. 39, Mar/Apr.

Maji, A.K., Interferometry with LabView, p. 41, Jan/Feb.

Marquet, F., Experimental Modal Shapes Identification of a Rotating Asymmetric Disc Subjected to Multiple-frequency Excitations: Use of FIR Filters, p. 44, Nov/Dec.

McVay, G., Evaluation of White Light Fabry-Perot Interferometry Fiber-Optic Strain Gages for Small Strains, p. 33, Jul/Aug.

Mitchell, M., Evaluation of White Light Fabry-Perot Interferometry Fiber-Optic Strain Gages for Small Strains, p. 33, Jul/Aug.

Montemerlo, P., Interferometry with LabView, p. 41, Jan/Feb.

Morison, A.M., Dynamic Response of Timber Bridges as a Tool to Measure Structural Integrity, p. 25, May/Jun.

Park, Y.K., Development of a Binocular-type, Six-component Load Cell, p. 21, Jan/Feb.

Payri, R., New Technique for Determination of Internal Geometry of A Diesel Nozzle with the Use of the Silicone Methodology, p. 39, Mar/Apr.

Peairs, D.M., Temperature Dependency of Impedance-based Nondestructive Testing, p. 33, Sep/Oct.

Pecht, M., Measurement of the Hygroscopic Swelling Coefficient in Mold Compounds Using Moiré Interferometry, p. 40, Jul/Aug.

Perry, K.E., Status of Experimental Mechanics: Biological and Biologically Inspired Materials, p. 13, Jul/Aug.

Peterson, M.L., Technique for Determining the Pressure Distribution on the Face of a Contact Ultrasonic Transducer, p. 37, Jul/Aug.

Poddar, G.C., Development and Investigation of a Fiber Optic Technique for Online Monitoring of the Quality of the Polish of Rice, p. 49, Nov/Dec.

Ponslet, E., Residual Stress Measurement Using the Hold Drilling Method and Laser Speckle Interferometry: Part I, p. 43, May/Jun.

Ponslet, E., Residual Stress Measurement Using the Hold Drilling Method and Laser Speckle Interferometry: Part II: Analysis Technique, p. 17, Jul/Aug.

Ponslet, E., Residual Stress Measurement Using the Hole Drilling Method and Laser Speckle Interferometry - Part III: Analysis Technique, p. 45, Sep/Oct.

Puckett, A.D., Technique for Determining the Pressure Distribution on the Face of a Contact Ultrasonic Transducer, p. 37, Jul/Aug.

Rapoff, A.J., Biomimetic Designs from Bone, p. 36, Jan/Feb.

2003 AUTHOR & TITLE INDEX

Rapoff, A., Transverse Plane Shear Test Fixture for Total Knee Systems, p. 37, May/Jun.

Rittel, D., An Educational Visualization Technique for Kolsky (Split Hopkinson) Bar, p. 35, Nov/Dec.

Rizzo, P., Effect of Frequency on the Acoustoelastic Response of Steel Bars, p. 40, Nov/Dec.

Rosakis, A.J., Real-time Experimental Investigation of Dynamic Crack Branching Using High-speed Optical Diagnostics, p. 23, Mar/Apr.

Schmidt, T., Dynamic Strain Measurement Using Advanced 3D Photogrammetry, p. 47, May/Jun.

Schmidt, T., Full-field Dynamic Displacement and Strain Measurement - Specific Examples Using Advanced 3D Image Correlation Photogrammetry: Part II, p. 22, Jul/Aug.

Shelton, H.K., Using Statistical Experiments to Assure Product Quality, p. 41, Sep/Oct.

Shelton, H.K., Basic Premises of Factorial Analysis of Variance, p. 64, Nov/Dec.

Shih, M.-H., A Design Concept with a Displacement Dependent Semi-active Hydraulic Damper for Energy Dissipation., p. 53, Nov/Dec.

Shiue, T.K., Aircraft Airworthiness Certification: Static Bench Testing or an Airfoil Elevator, p. 32, Jan/Feb.

Singh, N., Development and Investigation of a Fiber Optic Technique for Online Monitoring of the Quality of the Polish of Rice, p. 49, Nov/Dec.

Singleton, W.H., Measurement of Rein Tension During Horseback Riding Using Strain Gage Transducers, p. 34, May/Jun.

Sofuoglu, H., A New Technique Used in Obtaining True Stress - True Strain Curves for Constant Strain-rates, p. 35, Mar/Apr.

St. Cyr, W., Evaluation of White Light Fabry-Perot Interferometry Fiber-Optic Strain Gages for Small Strains, p. 33, Jul/Aug.

Stein, P., Status of Experimental Mechanics: Western Regional Strain Gage Committee, p. 38, Mar/Apr.

Steinzig, M., Residual Stress Measurement Using the Hold Drilling Method and Laser Speckle Interferometry: Part I, p. 43, May/Jun.

Steinzig, M., Residual Stress Measurement Using the Hold Drilling Method and Laser Speckle Interferometry: Part II: Analysis Technique, p. 17, Jul/Aug.

Steinzig, M., Residual Stress Measurement Using the Hole Drilling Method and Laser Speckle Interferometry - Part III: Analysis Technique, p. 45, Sep/Oct.

Steinzig, M., Residual Stress Measurement Using the Hole Drilling Method and Laser Speckle Interferometry - Part IV: Measurement Accuracy, p. 59, Nov/Dec.

Stellrecht, E., Measurement of the Hygroscopic Swelling Coefficient in Mold Compounds Using Moiré Interferometry, p. 40, Jul/Aug.

Sung, W.-P., A Design Concept with a Displacement Dependent Semi-active Hydraulic Damper for Energy Dissipation., p. 53, Nov/Dec.

Takahashi, T., Residual Stress Measurement Using the Hole Drilling Method and Laser Speckle Interferometry - Part IV: Measurement Accuracy, p. 59, Nov/Dec.

Teng, J.-G., Pulley-based System for the Simulation of Distributed Loading on Shell Roof Structures, A, p. 21, Sep/Oct.

Thomann, G., Experimental Modal Shapes Identification of a Rotating Asymmetric Disc Subjected to Multiple-frequency Excitations: Use of FIR Filters, p. 44, Nov/Dec.

Tinker, M.L., Temperature Dependency of Impedance-based Nondestructive Testing, p. 33, Sep/Oct.

Tseng, K.K., Temperature Dependency of Impedance-based Nondestructive Testing, p. 33, Sep/Oct.

Tyson, J., Dynamic Strain Measurement Using Advanced 3D Photogrammetry, p. 47, May/Jun.

Tyson, J., Full-field Dynamic Displacement and Strain Measurement - Specific Examples Using Advanced 3D Image Correlation Photogrammetry: Part II, p. 22, Jul/Aug.

Van Dyke, D., Evaluation of White Light Fabry-Perot Interferometry Fiber-Optic Strain Gages for Small Strains, p. 33, Jul/Aug.

Van Karsen, C.D., Dynamic Response of Timber Bridges as a Tool to Measure Structural Integrity, p. 25, May/Jun.

Venkataraman, S., Transverse Plane Shear Test Fixture for Total Knee Systems, p. 37, May/Jun.

MECHANICS OF TIME-DEPENDENT MATERIALS

AVAILABLE VIA PAY-PER-VIEW

Editors-in-Chief:
Wolfgang G. Knauss, *California Institute of Technology, USA*
Igor Emri, *University of Ljubljana, Slovenia*

"Those for whom the details of time-dependent material behaviour is essential should read and publish in this journal." Nature, 401 (1999)

A quarterly journal published jointly by SEM and the Society of Plastics Engineers, MTDM is fully devoted to the micromechanics and engineering aspects of time-dependence in solid materials and structures.

Special rate for SEM/SPE members: 55.00 USD/EUR

for up to date tables of contents and free sample issues, visit
www.wkap.nl/journals/mtdm

kluwer
the language of science

Are your modal data suffering from low excitation forces?

The Xcite 1100 series of modal exciters deliver a full 1000 lbf preload plus a full 1000 lbf dynamic force at each spectral line!

Visit our website at **www.xcitesystems.com** to see the Xcite 1100-4 and 14 other high force linear, torsional and inertial modal exciters designed to deliver the forces your test deserves.



Xcite - the modal excitation of choice for non-linear, elastomeric and highly damped components and structures.

XCITE SYSTEMS CORPORATION

Xcite Systems Corporation | 675 Cincinnati Batavia Pike
Cincinnati, Ohio 45245 | Phone: 513.528.7170
Fax: 513.528.7190 | Email: info@xcitesystems.com

2003 AUTHOR & TITLE INDEX

Vural, M., An Educational Visualization Technique for Kolsky (Split Hopkinson) Bar, p. 35, Nov/Dec.

Wan, D., The Experimental Analysis for Compression Deformation of Automotive Door Seals, p. 27, Jan/Feb.

Wang, W.-C., Status of Experimental Mechanics: Optical Methods, p. 19, Sep/Oct.

Wang, X., A New Noncontact Metal-ceramic Fluid Acoustic Emission Sensor, p. 27, Mar/Apr.

Wang, X.S., Evaluation of Thermal-mechanical Fatigue Behavior for 62Sn-38Pb Bulk Solder, p. 31, Mar/Apr.

Wang, Z., A New Noncontact Metal-ceramic Fluid Acoustic Emission Sensor, p. 27, Mar/Apr.

Wang, Z.C., Pulley-based System for the Simulation of Distributed Loading on Shell Roof Structures, A, p. 21, Sep/Oct.

Wicks, A., Wireless Technology: An Overview of the Technology and Its Applications, p. 57, Nov/Dec.

Wong, H.T., Pulley-based System for the Simulation of Distributed Loading on Shell Roof Structures, A, p. 21, Sep/Oct.

Xu, L.R., Real-time Experimental Investigation of Dynamic Crack Branching Using High-speed Optical Diagnostics, p. 23, Mar/Apr.

Yu, S.W., Evaluation of Thermal-mechanical Fatigue Behavior for 62Sn-38Pb Bulk Solder, p. 31, Mar/Apr.

Zhao, J.C., The Experimental Analysis for Compression Deformation of Automotive Door Seals, p. 27, Jan/Feb.

Zhu, X.-S., The Experimental Analysis for Compression Deformation of Automotive Door Seals, p. 27, Jan/Feb.

Zureick, A.H., Instrumentation Planning and Validation for Full-scale Bridge Testing, p. 29, May/Jun.

TITLE INDEX

Aircraft Airworthiness Certification: Static Bench Testing or an Airfoil Elevator, S.F. Ma and T.K. Shiue, p. 32, Jan/Feb.

Basic Premises of Factorial Analysis of Variance, H.K. Shelton, p. 64, Nov/Dec.

Biomimetic Designs from Bone, B. Garita and A.J. Rapoff, p. 36, Jan/Feb.

Centenary of Powered Flight: The Next 100 Years, The, C.H.M. Jenkins, p. 31, Nov/Dec.

Design Concept with a Displacement Dependent Semi-active Hydraulic Damper for Energy Dissipation, A, M.-H. Shih, W.-P. Sung and C.G. Go, p. 53, Nov/Dec.

Development and Investigation of a Fiber Optic Technique for Online Monitoring of the Quality of the Polish of Rice, S.C. Jain, N. Singh, S.C. Jain, G.c. Poddar, A.K. Aggarwal and R.P. Bajpai, p. 49, Nov/Dec.

Development of a Binocular-Type, Six-Component Load Cell, D.I. Kang, J.H. Kim and Y.K. Park, p. 21, Jan/Feb.

Dynamic Response of Timber Bridges as a Tool to Measure Structural Integrity, A.M. Morison, C.D. Van Karsen, H.A. Evensen and J.B. Ligon, p. 25, May/Jun.

Dynamic Strain Measurement Using Advanced 3D Photogrammetry, T. Schmidt, J. Tyson and K. Galanulis, p. 47, May/Jun.

Educational Visualization Technique for Kolsky (Split Hopkinson) Bar, An, M. Vural and D. Rittel, p. 35, Nov/Dec.

Effect of Frequency on the Acoustoelastic Response of Steel Bars, P. Rizzo and F. Lanza di Scalea, p. 40, Nov/Dec.

Evaluation of Thermal-mechanical Fatigue Behavior for 62Sn-38Pb Bulk Solder, X.S. Wang, Y.Q. Li and S.W. Yu, p. 31, Mar/Apr.

Evaluation of White Light Fabry-Perot Interferometry Fiber-Optic Strain Gages for Small Strains, F. Figueroa, W. St. Cyr, D. Van Dyke, G. McVay and M. Mitchell, p. 33, Jul/Aug.

Experimental Analysis for Compression Deformation of Automotive Door Seals, The, J.C. Zhao, X.-S. Zhu, S.-J. Huang and D. Wan, p. 27, Jan/Feb.

Experimental Modal Shapes Identification of a Rotating Asymmetric Disc Subjected to Multiple-frequency Excitations: Use of FIR Filters, S. Berger, E. Aubry, F. Marquet and G. Thomann, p. 44, Nov/Dec.

Full-field Dynamic Displacement and Strain Measurement - Specific Examples Using Advanced 3D Image Correlation Photogrammetry: Part II, T. Schmidt, J. Tyson and K. Galanulis, p. 22, Jul/Aug.

Gold Wire and Solder Joint Microforce Testing Using Microforce Tester, Y.C. Chao and D.S. Liu, p. 37, Sep/Oct.

Instrumentation Planning and Validation for Full-scale Bridge Testing, D. Linzell, R.T. Leon and A.H. Zureick, p. 29, May/Jun.

COHERENT OPTICAL NDT

CONFIGURATIONS:

- HOLOGRAPHY
- SHEAROGRAPHY
- SPECKLE CORRELATION
- PROJECTED FRINGE MOIRÉ

CAPABILITIES:

- Real-Time Phase Step Imaging
- Full Field Vibration Mode Display
- Instantaneous Static Load Analysis
- Live Jo, Cosine, or Phase Fringes
- Robust Phase Unwrap Program
- Point-and-Shoot Configuration

Karl Stetson Associates, LLC
2060 South Street, Coventry, CT 06238
Tel: 860/742-8414, Fax: 860/742-6549
Email: kstetson@pcholo.com
www.pcholo.com

We can filter it...



www.kemo.com
Kemo Ltd. Tel: +44 (0) 20 8658 3838
Kemo Inc. Tel: (904) 223 0662

Kemo®

2003 AUTHOR & TITLE INDEX

Interferometry with LabView, A.K. Maji and P. Montemerlo, p. 41, Jan/Feb.

Measurement of Rein Tension During Horseback Riding Using Strain Gage Transducers, H.M. Clayton, W.H. Singleton, J.L. Lanovaz and G.L. Cloud, p. 34, May/Jun.

Measurement of the Hygroscopic Swelling Coefficient in Mold Compounds Using Moiré Interferometry, E. Stellrecht, B. Han and M. Pecht, p. 40, Jul/Aug.

Modal Space: I Ran a Modal Test on a Portion of a Structure of Concern and Many Modes Look the Same! What Did I Do Wrong?, P. Avitabile, p. 13, Sep/Oct.

Modal Space: Is if Better to Collect Averaged FRF Data for a Modal Test?, P. Avitabile, p. 15, Jan/Feb.

Modal Space: Is it Really Necessary to Reject a Double Impact?, P. Avitabile, p. 17, May/Jun.

Modal Space: Must You Have Multiple References in Order to Find Pseudo Repeated Roots?, P. Avitabile, p. 11, Jul/Aug.

Modal Space: Why are Calibration and Mode Shape Scaling Important?, P. Avitabile, p. 15, Mar/Apr.

Modal Space: Why Do Some Measurements Have Antiresonances and Others Do Not?, P. Avitabile, p. 25, Nov/Dec.

New Noncontact Metal-ceramic Fluid Acoustic Emission Sensor, A. Z. Wang, X. Wang and F. Li, p. 27, Mar/Apr.

New Technique for Determination of Internal Geometry of A Diesel Nozzle with the Use of the Silicone Methodology, V. Macian, V. Bermudez, R. Payri and J. Gimeno, p. 39, Mar/Apr.

New Technique Used in Obtaining True Stress - True Strain Curves for Constant Strain Rates, A. H. Sofuoglu, p. 35, Mar/Apr.

New Test Apparatus for the Tribological Behavior of CAM Mechanisms, A. H. Bas, A. Biyiklioglu and H. Cuvalci, p. 28, Sep/Oct.

Optical Methods: A Classic Interferometry - Newton's Rings, G. Cloud, p. 17, Jan/Feb.

Optical Methods: Another Classic Interferometry - Young's Experiment, G. Cloud, p. 19, Mar/Apr.

Optical Methods: Colored Interferometry Fringes, G. Cloud, p. 21, May/Jun.

Optical Methods: Michelson Interferometry, G. Cloud, p. 15, Sep/Oct.

Optical Methods: The Diffraction Problem, G. Cloud, p. 27, Nov/Dec.

Pulley-based System for the Simulation of Distributed Loading on Shell Roof Structures, A. H.T. Wong, J.-G. Teng and Z.C. Wang, p. 21, Sep/Oct.

Real-time Experimental Investigation of Dynamic Crack Branching Using High-speed Optical Diagnostics, L.R. Xu and A.J. Rosakis, p. 23, Mar/Apr.

Residual Stress Measurement Using the Hold Drilling Method and Laser Speckle Interferometry, M. Steinzig and E. Ponslet, p. 43, May/Jun.

Residual Stress Measurement Using the Hold Drilling Method and Laser Speckle Interferometry: Part II: Analysis Technique, E. Ponslet and M. Steinzig, p. 17, Jul/Aug.

Residual Stress Measurement Using the Hole Drilling Method and Laser Speckle Interferometry - Part III: Analysis Technique, E. Ponslet and M. Steinzig, p. 45, Sep/Oct.

Residual Stress Measurement Using the Hole Drilling Method and Laser Speckle Interferometry - Part IV: Measurement Accuracy, M. Steinzig and T. Takahashi, p. 59, Nov/Dec.

Speckle Interferometry Made Simple and Cheap, G. Cloud, p. 27, Jul/Aug.

Status of Experimental Mechanics: Biological and Biologically Inspired Materials, K.E. Perry, p. 13, Jul/Aug.

Status of Experimental Mechanics: Modal Analysis/Dynamic Systems, Avitabile, p 32, Nov/Dec.

Status of Experimental Mechanics: Optical Methods, J.F. Cardenas-Garcia, J.L.F. Freire and W.-C. Wang, p. 19, Sep/Oct.

Status of Experimental Mechanics: Western Regional Strain Gage Committee, P. Stein, p. 38, Mar/Apr.

Studies on Abrasive Waterjet Machining of Black Granite Through Design of Experiments, M. Kantha Babu and O.V. Krishnaiah Chetty, p. 49, Sep/Oct.

Technique for Determining the Pressure Distribution on the Face of a Contact Ultrasonic Transducer, A.D. Puckett and M.L. Peterson, p. 37, Jul/Aug.

Temperature Dependency of Impedance-based Nondestructive Testing, K.K. Tseng, M.L. Tinker, J.O. Lassiter and D.M. Peairs, p. 33, Sep/Oct.

Transverse Plane Shear Test Fixture for Total Knee Systems, A. Rapoff, W.M. Johnson and S. Venkataraman, p. 37, May/Jun.

Using Statistical Experiments to Assure Product Quality, H.K. Shelton, p. 41, Sep/Oct.

Wireless Technology: An Overview of the Technology and Its Applications, A. Wicks and J.R. Kemerling, p. 57, Nov/Dec.

Experimental
TECHNIQUES

2004 SUBSCRIPTION RATES

Published Since 1983 by the Society for Experimental Mechanics, Inc.

Order Information
- ISSN 0732-8818; Vol. 28, 2004
- Bi-monthly (6 times per year)
- Pages published annually: 240-280
- Manuscripts are peer reviewed, fully referenced.
- Cost:$125.00 per year – 10% Agency Disc.
- Post.: US $8.00; For. $20.00, Air. $38.00

*Note - Orders received after 5/04 will be advised of additional postage costs.

Society for Experimental Mechanics
7 School St., Bethel, CT 06801
(203)790-6373, Fax (203)790-4472
Email services@sem1.com

The Shaker For LOW FREQUENCY CALIBRATION

The APS Dynamics long stroke shaker provides excitation for calibration and testing of accelerometers, other vibration sensors and seismic devices with outstanding performance.



- Up to 6-inch p-p displacement
- Carries up to 50-lb loads
- Low waveform distortion
- Very low cross-axis motion
- Shaker induced noise less than 25 micro-g rms

MODEL 129

For complete information on the Model 129, contact APS Dynamics

APS Dynamics, Inc. **APS**
5731 Palmer Way, Suite A, Carlsbad, CA 92008, USA
PHONE (760) 438-4848 • FAX (760) 438-8845
www.apsdynamics.com
Systems for Generating Controlled Vibration